



Type Approval Certificate

This is to certify that the undernoted product(s) has/have been tested with satisfactory results in accordance with the relevant requirements of the Lloyd's Register Type Approval System.

Manufacturer	Compensati Toro Spa
Address	Via Piverone, 4, Azeglio (To), 10010, Italy
Type	Plywood And Other Wood Boards
Description	Marine plywood constructed from Khaya, Sapelli or Okoumé bonded with WBP MUF adhesive.
Trade Name	Lightweight Marine Plywood, Standard Marine Plywood
Application	Marine, offshore and industrial use for where plywood is specified according to the certified ratings.
Specified Standard	BS 1088:2018 - Marine plywood. Requirements BS EN 314-1:2004 - Plywood. Bonding quality. Test methods BS EN 314-2:1993 - Plywood. Bonding quality. Requirements

71 Fenchurch Street, London, EC3M 4BS, United Kingdom

Andy Donovan

Non-Metallics & Coatings Team - Lead
Specialist to Lloyd's Register EMEA
A member of the Lloyd's Register group

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.



Type Approval Certificate

Ratings

Lightweight marine plywood made throughout of Okoumé
WBP, BS EN 350-2 class DC4 ("slightly durable").
For the construction of pleasure craft, small craft and other constructions.
Thickness (mm): 4, 5, 6, 8, 10, 12, 15, 18, 20, 22, 25, 30, 35, 40, 45, & 50

Standard marine plywood made throughout of Sapelli or Khaya (African
Mahogany)
BS 1088 standard grade (DC3 "moderately durable" or better)
Thickness (mm): 4, 5, 6, 8, 10, 12, 15, 18, 20, 22, 25, & 30

This certificate is not valid for equipment, the design, ratings or operating parameters of which have been varied from the specimen tested. The manufacturer should notify Lloyd's Register EMEA of any modification or changes to the equipment in order to obtain a valid Certificate.

The Design Appraisal Document DAD26240862TA and its supplementary Type Approval Terms and Conditions form part of this Certificate.



Page 1 of 1
Certificate No: LR26240862TA
Issue Date: 29/10/2025
Expiry Date: 28/10/2030
Reference: DAD26240862TA

LLOYD'S REGISTER TYPE APPROVAL

Issued to: **Compensati Toro Spa**

For: Lightweight Marine Plywood, Standard Marine Plywood

The undernoted documents have been reviewed for compliance with the requirements of the Lloyd's Register Type Approval System Procedure TA14 (Version 6, April 2025) and this Design Appraisal Document forms part of the Certificate.

APPROVAL DOCUMENTATION

Production Quality Assessment form
ISO 9001 certificate
Product data sheet
Inspection records

TEST REPORTS

Test reports from Compensati Toro witnessed by LR Surveyor on 19th May 2026

Andy Donovan

Non-Metallics & Coatings Team – Lead
Specialist to Lloyd's Register EMEA
A member of the Lloyd's Register group

71 Fenchurch Street, London, EC3M 4BS, UK

Supplementary Type Approval Terms and Conditions

Type Approval certifies that a representative sample of the product(s) referred to herein has/have been found to meet the applicable design criteria for the use specified herein. It does not mean or imply approval for any other use, nor approval of any product(s) designed or manufactured otherwise than in strict conformity with the said representative sample.

Type Approval is based on the understanding that the manufacturer's recommendations and instructions and any relevant requirements of the Rules and Regulations are complied with.

Type Approval does not eliminate the need for normal inspection and survey procedures required by the Rules and Regulations. Lloyd's Register EMEA reserves the right to cancel or withdraw this Type Approval Certificate in accordance with the Lloyd's Register Type Approval System Procedure.

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.